



**TOWN OF BOXFORD
PLANNING BOARD**

7A Spofford Road
Boxford, Massachusetts 01921
Phone: (978) 887-6000 x 191 Fax: (978) 887-0758
Email: rpovenmire@town.boxford.ma.us

APPLICATION FOR DRIVEWAY PERMIT

The purpose of this permit is to provide safe and adequate access for emergency and other vehicles from the public way to residential dwellings. It has been developed in accordance with §196-29 of the Boxford Zoning Bylaw. The applicant shall read the bylaw on the back of this page.

Name Daniel Arsenault Date 8-27-15

Driveway location/address Lot 3 61B Oak Ridge Rd

Required Design Criteria

Compliance – Yes

No

- | | | |
|---|---------------------------|-----------------|
| 1. Finished driveway width shall be no less than 9 feet | <u>X</u> | <u> </u> |
| 2. Grade for the first 25 feet of driveway from the public way – 3% or less | <u>NA (already built)</u> | <u>2005</u> |
| 3. 12% maximum slope along the centerline | <u>X</u> | <u> </u> |
| 4. Any slope over 8% shall be paved | <u>X</u> | <u> </u> |
| 5. Driveway apron should be 90° to the road | <u>NA (already built)</u> | <u>2005</u> |
| 6. Driveway apron should have curved flare radii of 6' | <u>NA (already built)</u> | <u>2005</u> |
| 7. No physical barriers on inside of driveway curves | <u>X</u> | <u> </u> |
| 8. Rate of post-development runoff should not exceed pre-development runoff | <u>X</u> | <u> </u> |
| 9. Water shall not flow from driveway onto road | <u>X</u> | <u> </u> |
| 10. Sight distance shall exceed 50' in both directions | <u>X</u> | <u> </u> |
| 11. Driveways longer than 500' shall have a turn-around | <u>X</u> | <u> </u> |
| 12. No cut or fill shall exceed 8' from the natural topography | <u>X</u> | <u> </u> |
| 13. Shared driveways shall be no closer than 100' apart | <u>X</u> | <u> </u> |
| 14. Shared portion of a driveway shall be no less than 12 feet | <u>X</u> | <u> </u> |

The Superintendent of Public Works and Fire Chief may impose other conditions at their discretion to ensure safe access and to prevent any damage or dangerous situation(s) because of drainage, icing, etc. onto public roads. These conditions are indicated below.

Applicant Signature [Signature] Date 8-27-15

Planning Board Approval _____ Date _____

Conditions: