

Deep River Board of Fire Commissioners

57 Union Street • Deep River, CT 06417

May 6, 2014

The May 5, 2014 meeting of the Deep River Fire Commission began at 6:59 P.M. with Spitzschuh, Lee, Bowden, and Budney. Fire Marshal Nolin was also present. Lanouette, absent.

The minutes of April 7, 2014 were accepted as written. Moved by Budney, 2nd Bowden. Unan.

There were no Financial Statements available.

There is no bill in yet for service on the trucks. This will use up a lot of that budget.

Some one will go to the Referendum May 6th, to find out where the budget is expected to be for the Fire Department for the next fiscal year.

All other bills were normal.

The Chief reported 8 calls.

The department Secretary is still compiling a list of his duties

The Ladder truck is at First Line. The truck had an air leak upon inspection, and when it went there, an anti-freeze leak was also detected. When it returns, there are a couple members qualified to sign off on the operation of this truck. Shortly after that, there will be a few more member ready to operate that truck.

Deputy reported that during a recent brush fire, there was an injury of a mutual aid member. Their Town will file the claim.

There is a building being torn down in Essex that has a boiler. After a phone call about this boiler system, it was determined that it may be donated to the Deep River Fire Department. It would be stored at the Town Garage.

There was no Engineer's report.

Fire Marshal submitted Activity Report, bills.

Piano Works is replacing their booster pump. At that time water will be at water main pressure until it is installed. Fire Marshal will inform Department of when this will happen.

The Chairman asked if a letter could be written to Rev. Tim Haut for his Service for the Firemen.

Under Other Business, Chief asked Bowden if anyone from the Safety Committee has contacted him. He will be looking for a call from them.

To be in compliance with OSHA an eye wash kit was purchased for Headquarters.
Lock out, Tag out keys may also be needed.

There was no Other Business.

Meeting adjourned at 7:16. Moved by Budney. 2nd Lee. Unan.

Respectfully Submitted,



Clerk

Office of the Fire Marshal
Town of Deep River

FIRE MARSHAL ACTIVITY REPORT/APRIL 2014

- 04/09/2014 Fire Department response to Cedar Lake Road for an MVA. Units discovered a 1 car into a tree, no injuries, 1 refusal taken & units secured.
- 04/15/2014 Fire Department response to 252 River Road for an outside fire investigation. Units discovered a smoldering fire in a pile of leaves. Units extinguished the fire, 5FM investigated & units secured.
- 04/15/2014 Fire Department response to Rte. 80 for a transformer fire. Units stood by for CL&P & secured.
- 04/17/2014 Fire Department response to the area of 177 Main Street for an MVA. Units discovered no injuries, units assisted & secured.
- 04/20/2014 Fire Department response to Bahr Road for a report of a brush fire. Units received Mutual Aid from Chester, Clinton, Essex, Killingworth, Old Saybrook and Westbrook to extinguish approximately 8 acres.
- 04/22/2014 Fire Department response to 90 Main Street, Piano Works for a lift assist. Units assisted the ambulance & secured.
- 04/25/2014 Fire Department response to Meadow Woods Road for wires down. Units stood by for CL&P & secured.
- 04/26/2014 Fire Department response to the area of 57 Hemlock Drive for an MVA. Units discovered 1 car vs. tree, no injuries, 1 refusal taken & units secured.

Respectfully submitted,



Keith C. Nolin
Fire Marshal