

Deep River Board of Fire Commissioners

57 Union Street • Deep River, CT 06417

Aug. 5, 2014

The August 4, 2014 meeting of the Deep River Fire Commission began at 7:06 P.M. with Spitzschuh, Lanouette, Lee, and Budney. Fire Marshal Nolin was also present. Bowden was excused.

The minutes of July 7, 2014 were accepted as written. Moved by Lee. 2nd, Budney.
Unan.

Financial Statements were reviewed. They seem to have been within their budget coming into the new Fiscal year.

All other bills were normal.

Chief reports 16 calls last month.

The class with the Aerial Truck went well.

He asked for someone from the Commission to look into what other Department's have for clerical help, because the paperwork was using up a lot of time. Spitzschuh volunteered for this assignment. They would like the information to bring to the Town, for if money needs to be allocated for a position to keep up with the paperwork.

Chief also said the boat trailer would be receive a little later than expected. Bowden is trying to get this trailer to come in with another shipment, keeping the cost down.

He also reported the Truck Committee will be closed up, and a new Committee will start up in anticipation for another purchase in 2018/2019.

Deputy added that the Ladder class was specifically designed for the members of the Deep River Fire Department, using local landmarks for training purposes.

There was an incident that occurred on the way to the Training, and there was a discussion on if and how long something should be in a personnel file.

There was no Engineer's report. Chief said two tires were put on the Rescue Truck.

Fire Marshal submitted Activity Report, bills.

He said that the Plastic Factory said the keys in the NOX box, should allow the Department access to the whole building.

Lanouette asked the Fire Marshal if his Activity Report included Ambulance calls. Fire Marshal stated, only incidents like lift assists. No other calls were filed in his report for Ambulance calls.

There was no Chairman's report.

There was no Other Business.

There was no Old Business.

Meeting adjourned at 7:25. Moved by Budney. 2nd Lanouette. Unan.

Respectfully Submitted,

Elizabeth Simmons

Clerk

**Office of the Fire Marshal
Town of Deep River**

FIRE MARSHAL ACTIVITY REPORT/JULY 2014

- 07/04/2014 Fire Department response to the area of 5 Main Street for wires down. Units discovered a tree on the wires, stood by for CL&P & secured.
- 07/04/2014 Fire Department response to Rte. 80 near Rte. 145 for a transformer fire. Units stood by for CL&P & secured.
- 07/04/2014 Fire Department response to the area of 25 Stanwoll Hill Road for a branch on the wires. CL&P was notified & units secured.
- 07/07/2014 5FM supervised the removal of a 350 gallon underground oil tank at 62 High Street.
- 07/06/2014 Fire Department response to the area of 1 Winthrop Road for an MVA. Units discovered a minor 2 car, no injuries, refusals taken & units secured.
- 07/08/2014 Fire Department response to 16 Woodland Drive for an animal rescue. A horse was tangled in a scaffolding and self-extricated itself & units secured.
- 07/10/2014 Fire Department response to 21 Winthrop Road for a report of a kitchen fire. Units discovered a fire on a stove top to be out upon arrival. Units checked for extension, 5FM investigated & units secured.
- 07/12/2014 Fire Department response to the area of 12 River Street for an MVA. Units discovered a minor 2 car, refusals taken & units secured.
- 07/13/2014 Fire Department response to 92 Main Street for an Automatic Alarm of Fire. Units discovered a water pipe leak caused the detector activation, 5FM investigated & units secured.
- 07/16/2014 Fire Department response to 15 Fox Run Road for a C.O. Detector activation. Units metered the building, no C.O. found & units secured.
- 07/18/2014 Fire Department response to the area of 177 Main Street for an MVA. Units discovered a motorcycle vs. car, 1 patient transported to SMC, 1 refusal taken & units secured.
-
- 07/18/2014 5FM conducted an inspection of the Muster Grounds at Devitts Field.
- 07/23/2014 Fire Department response to Cedar Lake Road for an MVA. Units discovered 1 car into a utility pole with wires down. The driver was removed from the vehicle after CL&P shut down the power, units assisted & secured.

July Activity Report

-Page 2-

- 07/23/2014 Fire Department response Mutual Aid to Killingworth for a request of the Tanker. Units were canceled enroute & secured.
- 07/24/2014 Fire Department response to 35 Winterberry Road for an Automatic Alarm of Fire. Units discovered the homeowner had reset the alarm upon arrival, 5FM investigated & units secured.
- 07/27/2014 Fire Department response Mutual Aid to Chester for a request of the Tanker. Units were canceled enroute & secured.
- 07/28/2014 Fire Department response to the area of 443 Winthrop Road for an MVA. Units discovered 1 car into a stone wall, 1 refusal taken & units secured.
- 07/29/2014 Fire Department response to 3 Union Street for an outside burn. Units extinguished the fire with a garden hose. The Burning Official/Fire Marshal investigated & units secured.
- 07/31/2014 5FM conducted a pre-blasting inspection and issued a permit to Connecticut Explosives Company Inc. to blast a foundation hole at 30 Bokum Road.

Respectfully submitted,



Keith C. Nolin
Fire Marshal