

Deep River Board of Fire Commissioners

57 Union Street • Deep River, CT 06417

Dec. 2, 2014

The Dec. 1, 2014 meeting of the Deep River Fire Commission began at 7:15 P.M. with Spitzschuh, Lee, and Budney. Fire Marshal Nolin was also present. Bowden and Lanouette were absent.

The minutes of Nov. 3, 2014 were accepted as written. Moved by Budney, 2nd, Lee. Unan.

The Financial Statements were reviewed.

Vehicle Maintenance is getting high, as well as Training. The EMR class may use up the rest of the Training line.

There are some bills that have not been paid/posted onto the current Financial Statements. All bills were normal.

Chief reports 14 calls.

The old Truck Committee will be dissolve after this week, and a new one will start up in January, in anticipation of looking for a new truck to replace 553.

At some point 554 and 552 switched locations, due to membership levels. Those levels have remained good and the trucks may be switched back to their original locations.

The new five year capitol plan should be reviewed soon, maybe as soon as January 2015.

The Deputy reports the Killingworth seminar went well.

There was no Engineer's report.

Fire Marshal submitted Activity Report, bills.

He reminded the Commission that Chimney fire season is here.

He is expecting a blasting permit for Kirtland Street to come through this office soon.

The Chairman asked about liability for a fence down near a waterhole on Tower Hill.

After a brief discussion, it was determined that the responsibility lies with the Town.'s report.

Under Old Business, the plans for the Fire Marshal, office came up. Lanouette was not available to answer these questions. Spitzschuh will contact Lanouette for an update. The boat trailer has arrived and the boat is on it. A bill has not been received for the trailer yet.

Meeting adjourned at 7:32. Moved by Lee, 2nd Budney. Unan.

Respectfully Submitted,

A handwritten signature in cursive script that reads "Elizabeth Simmons". The signature is written in black ink and is positioned below the text "Respectfully Submitted,".

Clerk

**Office of the Fire Marshal
Town of Deep River**

FIRE MARSHAL ACTIVITY REPORT/NOVEMBER 2014


- 11/02/2014 Fire Department response to the area of 37 Warsaw Street for wires arching. Units stood by for CL&P & secured.
- 11/02/2014 Fire Department response to 105 River Road for an Automatic Alarm of Fire. Units discovered no audible alarm, doors and windows locked, units & 5FM investigated & secured.
- 11/04/2014 5FM conducted a Final Inspection of 246 Main Street, Dunkin Donuts and recommended a Certificate of Occupancy be issued.
- 11/05/2014 Fire Department response Mutual Aid to Essex. Units assisted with extinguishment of a shed fire on Old Deep River Road & secured.
- 11/06/2014 Fire Department response to 538 Winthrop Road for a medical assist. Units assisted with manpower & secured.
- 11/09/2014 Fire Department response to 10 Pleasant Street for a report of a chimney fire. Units used chains to clear the chimney flue, 5FM investigated & units secured.
- 11/10/2014 Fire Department response to 93 Main Street for a medical assist. Units assisted with manpower & secured.
- 11/12/2014 5FM conducted a Pre-Blasting Inspection at Haynes Materials Pit and issued a permit to Maine Drilling & Blasting Co.
- 11/14/2014 Fire Department response to 18 Melody Ridge Road for a C.O. Detector activation. Units metered the house, nothing found & units secured.
- 11/15/2014 Fire Department response to the area of 10 River Road for an MVA. Units extricated the driver, 1 patient was transported by Life Starr.
- 11/22/2014 Fire Department response to 12 Crescent Street for a Chimney Fire. Units used chains to clear the chimney, 5FM investigated & units secured.
- 11/23/2014 Fire Department response to 25 Read Street for an electrical outlet arching. Units discovered the issue was caused by pressure washing the siding. The outlet was disconnected and the power was turned back on. 5FM investigated & units secured.
- 11/26/2014 Fire Department response to Westbrook Road & Acorn Drive for an MVA. Units discovered no injuries, units assisted & secured.

umber Activity Report

Page 2-

- 2014 Fire Department response to Route 80 & 145 for an MVA. Units discovered no injuries, units assisted & secured.
- 2014 Fire Department response to 29 Stevenstown Road for a report of an oven fire. Units discovered no fire, the oven was on self-clean, units investigated & secured.
- 2014 Fire Department response to 30 River Street to assist the CSP with forcible entry. Units gained entry & secured.

stfully submitted,



C. Nolin
arshal