

Town of East Hampton
Inland Wetlands and Watercourses Agency
Regular Meeting
July 25, 2018 – 6:30 P.M.
East Hampton Town Hall Meeting Room

MINUTES

Present: Chairman Jeff Foran, Vice Chairman Joshua Wilson (arrived at 6:34 p.m. during Agenda Item# 8a), David Boule, Pete Wall and W. Dean Kavalkovich.

Absent: Jacqueline True and Robert Talbot.

1. Call to Order: The meeting was called to order at 6:30 p.m. by Chairman Foran.

2. Seating of Alternates: None.

3. Approval of Minutes:

A) June 27, 2018 Regular Meeting: *Mr. Boule moved, and Mr. Wall seconded, to approve the minutes of the June 27, 2018 regular meeting. Voted 4-0 in favor.*

4. Communications, Enforcement and Public Comment:

Communications: The Habitat brochure was provided to the members as well as a notification of an upcoming Forested Wetlands Soils Workshop.

Enforcement: None

Public Comment: None

5. Agent Approval: None.

6. Reading of the Legal Notice: None

7. Continued Applications:

A) Application IW-18-012, WPCA, Lake Dr., to install a backup generator at the existing Princess Pocotopaug pump station. Map 9A/Block 70B/Lot 14. The applicant was not present. *Mr. Kavalkovich made a motion to move agenda item #7a to after agenda items #8a and 8b. The motion was seconded by Mr. Wall. Voted 4-0 in favor.*

The applicant was still not present after agenda item #8b was presented. *Vice-Chairman Wilson made a motion to continue Application IW-18-012, WPCA, Lake Dr., to install a backup generator at the existing Princess Pocotopaug pump station. Map*

9A/Block 70B/Lot 14 to the next regularly scheduled meeting. Mr. Kavalkovich seconded the motion. Voted 5-0 in favor.

8. New Applications:

A) Application IW-18-016, David Hanson, 2 Old Marlborough Rd., to construct 2 kayak racks. Map 05A/Block 83A/Lot 1. Mr. Hanson stated that he submitted 2 applications. He believes this application will not need a full review by the Commission but admitted that he is not familiar with the process. He explained that he would like to construct a T-type rack for the kayaks. He proposes digging 48" down, filling it in with 6" of concrete, covering it with a natural fill and adding an additional 6" on top of that to stabilize it. Chairman Foran explained that without any dimensions, there is no clarity regarding the location of the racks in relation to the proposed walkway or lake. *Vice-Chairman Wilson made a motion to allow the authorized agent to review and approve as he sees fit the application of IW-18-016, David Hanson, 2 Old Marlborough Rd., to construct 2 kayak racks. Map 05A/Block 83A/Lot 1. The motion was seconded by Mr. Kavalkovich. Voted 5-0 in favor.*

B) Application IW-18-015, David Hanson, 2 Old Marlborough Rd., stabilization of the bank with stair and walkway. Map 05A/Block 83A/Lot 1. Chairman Foran stated that he reviewed both applications but because of the lack of information provided, the applications are not complete. Mr. Hanson explained that he is proposing a 4' wide walk which is less than the one that was there and it will be in the same location as the previous. He added that he will be using a vacuum truck as opposed to an excavator which will make the project less intrusive. Chairman Foran stated that the drawings do not indicate any dimensions or where the walkway will be in relation to the lake which is what the Commission is concerned with. Vice-Chairman Wilson explained what details and information the applicant is required to provide the Commission per the IWWA Regulations as well as resources for guidance. *Mr. Wall made a motion to continue application IW-18-015, David Hanson, 2 Old Marlborough Rd., stabilization of the bank with stair and walkway. Map 05A/Block 83A/Lot 1 to the next regularly scheduled meeting. The motion was seconded by Mr. Boule. Voted 5-0 in favor.*

9. Public Hearing: None

10. New Business: Mr. Wall inquired about the excavating being done at the end of Tartia Road (intersection of Rte. 16) which was explained by Mr. Boule.

11. Old Business: None

12. Public Comment: None

13. Adjournment: *Mr. Boule moved to adjourn at 7:10 p.m. Mr. Wilson seconded.
Voted (5-0).*

Respectfully submitted,

Christine Castonguay
Recording Clerk