

MARION BOARD OF HEALTH
AGENDA

December 22, 2015

4:30 p.m.

MEETING CANCELED

RECEIVED
TOWN CLERK OF MARION, MA
2015 DEC 18 P 12:38



Town of Marion
2 Spring Street
Marion, MA 02738-1519

MARION BOARD OF HEALTH LEGAL NOTICE

The Marion Board of Health will conduct a public hearing on Tuesday, January 12, 2016 at 4:40 p.m. in the Main Conference Room of the Marion Town House on the variance request submitted by G.A.F. Engineering pertaining to the property located at 122 Register Road, further identified as Map 2, Lot 146/147.

The following variances are requested to Title 5 of the State Environmental Code and the Marion Sanitary Code Local Upgrade Approval:

310 CMR 15.104 Percolation Testing: To allow the use of a sieve analysis rather than an actual percolation test.

310 CMR 15.211(1) Distances: To allow the sewer pipe to cross the water service rather than the required 10' setback.

Marion Board of Health
Albin R. Johnson III, Chairman

The Wanderer
December 24, 2015
January 7, 2016

RECEIVED
TOWN CLERK OF MARION, MA
2015 DEC 18 P 12:38



Town of Marion
2 Spring Street
Marion, MA 02738-1519

MARION BOARD OF HEALTH LEGAL NOTICE

The Marion Board of Health will conduct a public hearing on Tuesday, January 12, 2016 at 5 p.m. in the Main Conference Room of the Marion Town House on the variance request submitted by N. Douglas Schneider & Associates, Inc. pertaining to the property located at 16 River Road, further identified as Map 9, Lot 35.

The following variance is requested to Title 5 of the State Environmental Code: ,

310 CMR 15.211 Distances: To allow the leaching area setback to cellar wall to be 11 feet from the bulkhead and 15.7 feet from the cellar wall rather than the 20 foot requirement.

Marion Board of Health
Albin R. Johnson III, Chairman

The Wanderer
December 24, 2015
January 7, 2016

RECEIVED
TOWN CLERK OF MARION, MA
2015 DEC 18 P 12:37