

## **Proposed Amendments to Sewer Use Regulations [last revised Sept 27, 2001]**

### **Where found:**

Change "Water Pollution Control Authority" to "Water and Sewer Authority" and change "WPCA" to "WSA."

### **Under 2.1 Sewer Connections Required:**

2.1.1 The owner of any property within a SSA abutting any street, alley or right-of-way in which there is located a public sewer shall be required to install a building sewer to connect the building drain to the public sewer in accordance with the provisions of these regulations. **Add:** "Properties within the Hawleyville SSA may be connected only with the approval of the Town and the WSA."

### **Under subsection 5.7.1:**

#### **Replace:**

"Quarterly Sewer Use Charge =  $\frac{0.90 \times A \times \$4.98}{1000}$

where A equals the volume of water in gallons, as measured through the user's water meter, used during the previous billing period. Notwithstanding the prior provisions of this section, the minimum quarterly sewer use charge shall be twenty-five dollars and no cents (\$25.00/quarter)."

#### **With:**

"Quarterly Sewer Use Charge = Rate per thousand gallons x A x 90%

where A equals the volume of water in gallons, as measured through the user's water meter, used during the previous billing period. Notwithstanding the prior provisions of this section, the minimum quarterly sewer use charge shall be twenty-five dollars and no cents (\$25.00/quarter)."

### **Delete "5.10 State Facilities at Fairfield Hills**

Sewer use charges for Fairfield Hills Hospital, Garner Correctional Facility and other State facilities connected to the State sewer system serving said properties, shall be levied based on wastewater flow measurements in accordance with the Town - State Intergovernmental Agreement."

### **Insert "5.10 State Facilities**

Sewer use charges for Garner Correctional Facility and other State facilities connected to the State sewer system serving said properties, shall be levied based on wastewater flow measurements in accordance with the Town - State Intergovernmental Agreement."

### **Under 9.2 Amendments:**

**Change** addresses from "45 Main Street" to "Newtown Municipal Center, 3 Primrose Street" and **delete** "Fax; (203) 270-7935".

RBZ 3/27/2011

C://WSA/Proposed Changes to Sewer Regs 3-27-11