


HIGHLAND AVENUE (ROUTE 6)


NOTE 1
 IT IS SUGGESTED THAT THE DISPOSAL FACILITIES BE INSTALLED AT LEAST 15' FROM, AND 18" BELOW WATER SUPPLY LINES. BOTH PIPES SHALL BE CONSTRUCTED OF CLASS 150 PRESSURE PIPE AND SHOULD BE PRESSURE TESTED TO ASSURE WATERTIGHTNESS, OR SLEEVED AS DIRECTED BY THE SUPERINTENDENT OF THE SEEKONK WATER DISTRICT

69-248

NO.	DATE	BY

PROJECT TITLE
PRICE CLUB PLAZA
 Phase II
 SEEKONK MASSACHUSETTS

SIEGMUND & ASSOCIATES, INC.
 CONSULTING ENGINEERS

 49 Pavilion Avenue
 Providence, RI 02905



OWNER: THE PRICE COMPANY
 46000 MANEKIN PLAZA
 STERLING, VA. 22170
 DEVELOPER: KORNWASSER & FRIEDMAN
 46010 MANEKIN PLAZA
 STERLING, VA. 22170

SHEET DESCRIPTION
SITE PLAN - 1

PROJECT NO. 452
 DESIGNED BY: CRD
 DRAWN BY: EAF
 CHECKED BY: K.K.
 DATE: MAY 1992
 SCALE: 1" = 40'

MAY 15 1992
 SHEET ___ OF ___