



SEWAGE DISPOSAL DESIGN DATA

RESTAURANT: 30 SEATS @ 35 G.P.D. = 1050 G.P.D. @ 50% = 525 G.P.D.

USE TRENCHES: 3 LINES @ 55' LONG @ 1' APART (12" DEEP)

SEPTIC TANK: 150% x 1590 = 2385

USE 1000 G.P.D. GREASE TRAP (20" DIA. @ 16" H.) AND 2000 G.P.D. SEPTIC TANK (20" DIA. @ 51" H. @ 2')

NOTE: RAISE COVER ON GREASE TRAP AND SEPTIC TANK TO BE LEVEL W/ C.I. FRAME & COVER

ALL SOLID PIPE TO BE 4" P.V.C. SCHEDULE 40.

- INVERTS**
- A: 17.50 (END TRENCH)
 - B: 17.90 (OUT "D" POOL)
 - C: 18.15 (INTO "D" BOX)
 - D: 18.30 (OUT 5" TANK)
 - E: 18.55 (INTO 5" TANK)
 - F: 18.55 (INTO 5" TANK)
 - G: 18.95 (OUT 9" TRAP)
 - H: 18.90 (INTO 6" TRAP)
 - I: 19.00 (OUT 6" TRAP)
 - J: 19.00 (OUT 6" TRAP)



NOTE: ALL AREAS DISTURBED BY EXCAVATION TO BE LOADED AND SEEDED. (L" DEEP)

EXHIBIT A

SITE PLAN

FOR

BESS EATON DONUTS

SEEKONK, MASS.



CAPUTO AND WICK LTD.

1150 PAWTUCKET AVE.

RUMFORD, R.I. 02916

401-434-8880

SECTION A-A

SCALE: HORIZ. 1"=8'

VERT. 1"=8'

ASSESSORS PLAT 8 LOT 13B

AREA = 2.7 ACRES

ZONE = HIGHWAY BUSINESS

PARKING SCHEDULE

RESTAURANT: (30 SEATS) @ 15 SPACES/SEAT = 12 SPACES

EMPLOYEES (6) @ 1 SPACE/12 EMPLOYEES = 3 SPACES

TOTAL = 15 SPACES

TOTAL ATTAINED: 14 REGULAR @ 2 MINUTE CH. @ 21 SPACES

EXTERIOR LIGHTING TO BE IN ACCORDANCE WITH SECTION 10.3.B OF THE ZONING BY-LAWS OF THE TOWN OF SEEKONK

