


FLOOD ZONE A - ELEV NOT DETERMINED ON F.I.R.M.  
 COMMUNITY PANEL 250063 0005 A - SEPT. 5, 1979  
 FLOOD ZONE C - AREAS OF MINIMAL FLOODING


LEGEND	
WF-A1	WETLAND FLAG
UP1850	UTILITY POLE
	DEEP HOLE TEST
	PROPOSED SPOT GRADE
	EXISTING SPOT GRADE
	EXISTING CONTOUR
	PROPOSED CONTOUR
	EXISTING STONE WALL

REFERENCE:  
 PROPERTY LINES AND OTHER TOPOGRAPHIC INFORMATION SHOWN ON THIS DRAWING WERE FROM THE SEEKONK PLAT MAPS AND A DRAWING (DATED: 9/6/01) PROVIDED BY: OUTERLIMITS SURVEY, INC. 128 MAIN ST., UNIT AA CARVER, MA 02330.




**ZONING DATA**  
 ZONE: R4 - RESIDENTIAL DISTRICT  
 BUILDING SETBACKS: FRONT - 50 FEET  
 SIDE - 35 FEET  
 REAR - 80 FEET

AYOUB ENGINEERING EXPRESSLY DISCLAIMS ANY RESPONSIBILITY FOR MONITORING, INSPECTING, OBSERVING, OR SUPERVISING CONSTRUCTION SERVICES OR THE MEANS, METHODS, SEQUENCES AND TECHNIQUES OF CONSTRUCTION OR FOR JOB SITE SAFETY AND PROGRAMS FOR THE PROJECT DEFINED BY THE PLANS FOR WHICH THIS CERTIFICATION IS AFFIRMED. AYOUB HAS NOT BEEN RETAINED FOR NOR SHALL IT HAVE ANY CONTROL OVER OR BE IN CHARGE OF ACTS OR OMISSIONS OF ANY CONTRACTOR, SUBCONTRACTOR, OTHER AGENTS OR EMPLOYEES OR OF ANY OTHER PERSONS PERFORMING PORTIONS OF THE WORK.



PERMIT PLAN



LOCUS MAP NTS

**GENERAL NOTES:**

- ALL EXISTING UTILITY INFORMATION/LOCATIONS WERE TAKEN FROM THE BEST AVAILABLE INFORMATION AT THE TIME THAT THE PLAN WAS PREPARED AND MUST BE FIELD CONFIRMED BY THE CONTRACTOR PRIOR TO ANY CONSTRUCTION.
- A SIEVE ANALYSIS SHALL BE PERFORMED ON A REPRESENTATIVE SAMPLE OF BACKFILL. RESULTS OF THE SIEVE ANALYSIS SHALL BE PROVIDED TO THE ENGINEER PRIOR TO THE PLACEMENT OF ANY FILL MATERIAL. BACKFILL MATERIAL SHALL MEET THE REQUIREMENTS OF 310 CMR 15.255(3).
- CONTRACTOR IS RESPONSIBLE TO CONTACT DIG-SAFE PRIOR TO ANY CONSTRUCTION OR EXCAVATION.
- ALL TOP SOIL AND IMPERVIOUS MATERIAL, IF ANY, MUST BE EXCAVATED AND REMOVED BELOW THE LEACHING AREA AND TO A DISTANCE OF 5 FEET FROM ALL SIDES OF THE LEACHING AREA. EXCAVATE DOWN TO THE SURFACE OF THE NATURAL PERMEABLE SOIL. BACK FILL AS REQUIRED WITH CLEAN COARSE SAND AND GRAVEL FREE FROM CLAY, ORGANIC MATTER, AND LARGE BOULDERS. BACK FILL MATERIAL SHALL MEET SPECIFICATIONS OF 310 CMR 15.255(3). CLEAR AND GRUB ALL VEGETATION 5' ALL AROUND S.A.S.
- NO PUBLIC OR PRIVATE WELLS ARE WITHIN 100' OF THIS DISPOSAL SYSTEM.
- 1,500 GALLON SEPTIC TANK TO BE SHEA CONCRETE PRODUCTS, INC. MODEL K-M15002C OR APPROVED EQUIVALENT.
- DISTRIBUTION BOX TO BE ROTONDO MODEL DB-5.
- INLET AND OUTLET TEES SHALL BE SCHEDULE 40 PVC AND EXTEND A MINIMUM OF 6" ABOVE THE FLOW LINE OF THE TANK. THERE SHALL BE AN AIR SPACE OF AT LEAST 3" BETWEEN THE TOPS OF THE TEES AND THE INSIDE OF THE TANK COVER.
- FOR PROPER PERFORMANCE, SEPTIC TANK SHOULD BE INSPECTED ANNUALLY AND WHEN THE TOTAL DEPTH OF SCUM & SOLIDS EXCEEDS 1/3 THE LIQUID DEPTH OF THE TANK, THE TANK SHOULD BE PUMPED.
- H-20 LOADING REQUIRED ON ALL COMPONENTS OF THE SYSTEM.
- ALL COMPONENTS OF THE SYSTEM TO BE WATERTIGHT & CORROSION RESISTANT.
- ALL SYSTEM PIPING SHALL BE SCHEDULE 40 UNPERFORATED PVC WITH 2" MICRO-LOCK INSULATION UNLESS NOTED OTHERWISE.

REV	PER	DATE	DESCRIPTION	BY
4	JF	11/19/01	MISCELLANEOUS REVISIONS	JMK
3	JF	11/05/01	REVISED LAYOUT/ ADDED TREE LOCATIONS	JMK
2	JF	10/01/01	REVISED SITE GRADING	JMK
1	JF	9/10/01	UPDATED EXISTING CONDITIONS/ REVISED SITE LAYOUT	JMK

**REVISIONS**

Received  
 DEC 03 2001  
 Con. Comm.

**PROJECT ADDRESS**

SEEKONK, MA  
 PROSPECT STREET  
 PLAT 23 LOT 13

**SHEET DESCRIPTION**

SITE PLAN

**PREPARED BY**

**AYOUB ENGINEERING**  
 ENGINEERING & ARCHITECTURAL CONSULTANTS  
 414 BENEFIT STREET, PAWTUCKET, RHODE ISLAND 02861  
 PHONE: (401) 728-5533 FAX: (401) 724-1110  
 E-MAIL: INFO@AYOUBENGINEERING.COM

PROJECT NO. 2789	DWN. BY: JMK	DATE: 7/25/01
CAD FILE NO. 2789MP1	CHK'D. BY:	DATE:
SCALE: 1"=20'		

C-