



TRENCH DETAIL  
NOT TO SCALE




PROFILE  
HOR. : 1" = 20'  
SCALE: VERT. : 1" = 4'




SECTION A-A  
HOR. : 1" = 10'  
SCALE: VERT. : 1" = 4'

ASSESSORS PLAT No. 24  
LOT No. 639  
AREA = 59,828 S.F.  
ZONE : R-2  
APPLICANT:  
ALICE ST JEAN  
77 HOPE STREET  
SEEKONK, MA 02771



NOTE  
The cellar floor elevation shown has been suggested as a minimum based upon observed groundwater conditions. Since groundwater levels fluctuate annually, no warranty of a dry cellar is expressed or implied.



SEWAGE DISPOSAL DESIGN  
2 BEDROOMS = 330 GALLONS PER DAY  
PERC RATE = 2 MINUTES PER INCH  
USE 64 L.F. OF TRENCH WITH 12" OF STONE BELOW PIPE.  
SIDE : 2 x 64' x 1' x 2.50 = 320  
BOTTOM : 3' x 64' x 1.00 = 192  
TOTAL = 512 GALLONS PER DAY  
THIS DESIGN IS GOOD FOR 3 BEDROOMS



--	--



SITE PLAN  
on WALKER STREET  
in SEEKONK, MASSACHUSETTS  
DESIGNED FOR  
ALICE ST. JEAN

CAPUTO AND WICK LTD.  
1150 PAWTUCKET AVE.  
RUMFORD, R.I. 02916  
401-434-8880

DATE  
MARCH 23, 1986  
SHEET  
REVISED  
10/10/91

EXHIBIT A