



WPA Form 5 – Superseding Order of Conditions
Massachusetts Department of Environmental Protection
Bureau of Resource Protection – Wetlands
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

MassDEP File #

SE 69-0635

A. General Information

1. From: Department of Environmental Protection
Issuing Authority

2. This issuance is for (check one): a. Superseding Order of Conditions
b. Amended Superseding Order of Conditions

3. To: Applicant:

John a. First Name Dias b. Last Name

C/o of Scott P. Rabideau, Natural Resource Services, Inc. c. Organization

P.O. Box 311 d. Mailing Address Line 1

Harrisville e. City/Town RI f. State 02830 g. Zip Code

Harrisville e. City/Town RI f. State 02830 g. Zip Code

4. Property Owner (if different from applicant):

a. First Name b. Last Name

c. Organization

d. Mailing Address Line 1

e. City/Town f. State g. Zip Code

5. Project Location:

Lot 5 Arcade Avenue a. Street Address Seekonk b. City/Town

Map 18 c. Assessors Map/Plat Number Lot 5 d. Parcel/Lot Number

Latitude and Longitude, if known:

e. Latitude f. Latitude



WPA Form 5 – Superseding Order of Conditions
Massachusetts Department of Environmental Protection
 Bureau of Resource Protection – Wetlands
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

MassDEP File #

SE 69-0635

A. General Information (cont'd)

6. Property recorded at the Registry of Deeds (attach additional information if more than one parcel):

<u>Bristol</u>	<u>10132</u>
a. County	b. Certificate (if registered land)
<u>6</u>	<u>56</u>
c. Book	d. Page

7. Dates: 7/21/08 4/16/09 7/12/2010
 a. Date NOI Filed b. Date of Site Visit c. Date of Issuance of Local Order

8. Final Approved Plans and Other Documents (attach additional plans or document references):

<u>Subsurface Sewerage Disposal System in Seekonk, Massachusetts, Sheet 1 of 2</u>	
a. Plan Title	
<u>Borderland Engineering, Inc.</u>	<u>Gregory A. Bunavicz, P.E.</u>
b. Prepared By	c. Signed and Stamped By
<u>July 14, 2010</u>	<u>1"=30</u>
d. Final Revision Date	e. Scale
<u>Subsurface Sewerage Disposal System in Seekonk, Massachusetts Sheet 2 of 2</u>	<u>July 14, 2010</u>
f. Additional Plan or Document Title	g. Date

B. Findings

1. Findings pursuant to the Massachusetts Wetlands Protection Act - Following the review of the above-referenced Notice of Intent and based on the information provided in this application, the Department finds that the areas in which work is proposed is significant to the following interests of the Wetlands Protection Act. Check all that apply:

- | | | |
|---|--|---|
| a. <input checked="" type="checkbox"/> Public Water Supply | b. <input type="checkbox"/> Land Containing Shellfish | c. <input checked="" type="checkbox"/> Prevention of Pollution |
| d. <input checked="" type="checkbox"/> Private Water Supply | e. <input checked="" type="checkbox"/> Fisheries | f. <input checked="" type="checkbox"/> Protection of Wildlife Habitat |
| g. <input checked="" type="checkbox"/> Groundwater Supply | h. <input checked="" type="checkbox"/> Storm Damage Prevention | i. <input checked="" type="checkbox"/> Flood Control |

2. This Department hereby finds the project, as proposed, is (check one):

Approved subject to:

- a. the following conditions which are necessary in accordance with the performance standards set forth in the wetlands regulations. The Department orders that all work shall be performed in accordance with the Notice of Intent referenced above, the following General Conditions, and any other special conditions attached to this Order. To the extent that the following conditions modify or differ from the plans, specifications, or other proposals submitted with the Notice of Intent, these conditions shall control.



WPA Form 5 – Superseding Order of Conditions
Massachusetts Department of Environmental Protection
 Bureau of Resource Protection – Wetlands
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

MassDEP File #

SE 69-0635

B. Findings (cont'd)

Denied because:

- b. the proposed work cannot be conditioned to meet the performance standards set forth in the wetland regulations. Therefore, work on this project may not go forward unless and until a new Notice of Intent is submitted which provides measures which are adequate to protect these interests, and a final Order of Conditions is issued. A description of the performance standards which the proposed work cannot meet is attached to this Order.
- c. the information submitted by the applicant is not sufficient to describe the site, the work, or the effect of the work on the interests identified in the Wetlands Protection Act. Therefore, work on this project may not go forward unless and until a revised Notice of Intent is submitted which provides sufficient information and includes measures which are adequate to protect the Act's interests, and a final Order of Conditions is issued. **A description of the specific information which is lacking and why it is necessary is attached to this Order.**

Inland Resource Area Impacts: Check all that apply below. (For Approvals Only)

- 3. Buffer Zone Impacts: Shortest distance between limit of project disturbance and wetland boundary (if available) _____ a. linear feet

Resource Area	Proposed Alteration	Permitted Alteration	Proposed Replacement	Permitted Replacement
4. <input type="checkbox"/> Bank	_____ a. linear feet	_____ b. linear feet	_____ c. linear feet	_____ d. linear feet
5. <input type="checkbox"/> Bordering Vegetated Wetland	_____ a. square feet	_____ b. square feet	_____ c. square feet	_____ d. square feet
6. <input type="checkbox"/> Land Under Waterbodies and Waterways	_____ a. square feet	_____ b. square feet	_____ c. square feet	_____ d. square feet
	_____ e. c/y dredged	_____ f. c/y dredged		
7. <input type="checkbox"/> Bordering Land Subject to Flooding	_____ a. square feet	_____ b. square feet	_____ c. square feet	_____ d. square feet
Cubic Feet Flood Storage	_____ e. cubic feet	_____ f. cubic feet	_____ g. cubic feet	_____ h. cubic feet
8. <input type="checkbox"/> Isolated Land Subject to Flooding	_____ a. square feet	_____ b. square feet		
Cubic Feet Flood Storage	_____ c. cubic feet	_____ d. cubic feet	_____ e. cubic feet	_____ f. cubic feet
9. <input checked="" type="checkbox"/> Riverfront area	8457	8457		
Sq feet within 100 feet	0			
Sq feet between 100-200 feet	8457	8457		
	_____ a. total sq. feet	_____ b. total sq. feet		
	_____ c. square feet	_____ d. square feet	_____ e. square feet	_____ f. square feet
	_____ g. square feet	_____ h. square feet	_____ i. square feet	_____ j. square feet



WPA Form 5 – Superseding Order of Conditions
Massachusetts Department of Environmental Protection
 Bureau of Resource Protection – Wetlands
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

MassDEP File #

SE 69-0635

B. Findings (cont'd)

Coastal Resource Area Impacts: Check all that apply below. (For Approvals Only)

10. Designated Port Areas - Indicate size under Land Under the Ocean, below

	Proposed Alteration	Permitted Alteration	Proposed Replacement	Permitted Replacement
11. <input type="checkbox"/> Land Under the Ocean	<u> </u> a. square feet	<u> </u> b. square feet		
	<u> </u> c. c/y dredged	<u> </u> d. c/y dredged		

12. Barrier Beaches - Indicate size under Coastal Beaches and/or Coastal Dunes below.

13. <input type="checkbox"/> Coastal Beaches	<u> </u> a. square feet	<u> </u> b. square feet	<u> </u> c. c/y nourish.	<u> </u> d. c/y
--	---	---	--	---------------------------------------

14. <input type="checkbox"/> Coastal Dunes	<u> </u> a. square feet	<u> </u> b. square feet	<u> </u> c. c/y nourish.	<u> </u> d. c/y
--	---	---	--	---------------------------------------

15. <input type="checkbox"/> Coastal Banks	<u> </u> a. linear feet	<u> </u> b. linear feet		
--	---	---	--	--

16. <input type="checkbox"/> Rocky Intertidal Shores	<u> </u> a. square feet	<u> </u> b. square feet		
--	---	---	--	--

17. <input type="checkbox"/> Salt Marshes	<u> </u> a. square feet	<u> </u> b. square feet	<u> </u> c. square feet	<u> </u> d. square feet
---	---	---	---	---

18. <input type="checkbox"/> Land Under Salt Ponds	<u> </u> a. square feet	<u> </u> b. square feet		
	<u> </u> c. c/y dredged	<u> </u> d. c/y dredged		

19. <input type="checkbox"/> Land Containing Shellfish	<u> </u> a. square feet	<u> </u> b. square feet	<u> </u> c. square feet	<u> </u> d. square feet
--	---	---	---	---

20. Fish Runs - Indicate size under Coastal Banks, inland Bank, Land Under the Ocean, and/or inland Land Under Waterbodies and Waterways, above

	<u> </u> a. c/y dredged	<u> </u> b. c/y dredged		
21. <input type="checkbox"/> Land Subject to Coastal Storm Flowage	<u> </u> a. square feet	<u> </u> b. square feet		



WPA Form 5 – Superseding Order of Conditions
Massachusetts Department of Environmental Protection
Bureau of Resource Protection – Wetlands
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

MassDEP File #

SE 69-0635

C. General Conditions Under Massachusetts Wetlands Protection Act

(only applicable to approved projects)

1. Failure to comply with all conditions stated herein, and with all related statutes and other regulatory measures, shall be deemed cause to revoke or modify this Order.
2. The Order does not grant any property rights or any exclusive privileges; it does not authorize any injury to private property or invasion of private rights.
3. This Order does not relieve the permittee or any other person of the necessity of complying with all other applicable federal, state, or local statutes, ordinances, bylaws, or regulations.
4. The work authorized hereunder shall be completed within three years from the date of this Order unless either of the following apply:
 - a. the work is a maintenance dredging project as provided for in the Act; or
 - b. the time for completion has been extended to a specified date more than three years, but less than five years, from the date of issuance. If this Order is intended to be valid for more than three years, the extension date and the special circumstances warranting the extended time period are set forth as a special condition in this Order.
5. This Order may be extended by the issuing authority for one or more periods of up to three years each upon application to the issuing authority at least 30 days prior to the expiration date of the Order.
6. If this Order constitutes an Amended Superseding Order of Conditions, this Amended Superseding Order of Conditions does not extend the issuance date of the original Final Order of Conditions and the Superseding Order will expire on _____ unless extended in writing by the Department.
7. Any fill used in connection with this project shall be clean fill. Any fill shall contain no trash, refuse, rubbish, or debris, including but not limited to lumber, bricks, plaster, wire, lath, paper, cardboard, pipe, tires, ashes, refrigerators, motor vehicles, or parts of any of the foregoing.
8. This Order is not final until all administrative appeal periods from this Order have elapsed, or if such an appeal has been taken, until all proceedings before the Department have been completed.
9. No work shall be undertaken until the Order has become final and then has been recorded in the Registry of Deeds or the Land Court for the district in which the land is located, within the chain of title of the affected property. In the case of recorded land, the Final Order shall also be noted in the Registry's Grantor Index under the name of the owner of the land upon which the proposed work is to be done. In the case of the registered land, the Final Order shall also be noted on the Land Court Certificate of Title of the owner of the land upon which the proposed work is done. The recording information shall be submitted to the Department on the form at the end of this Order, which form must be stamped by the Registry of Deeds, prior to the commencement of work.
10. A sign shall be displayed at the site not less than two square feet or more than three square feet in size bearing the words,
"Massachusetts Department of Environmental Protection" [or, "MA DEP"]
"File Number SE 69-0635"



WPA Form 5 – Superseding Order of Conditions
Massachusetts Department of Environmental Protection
Bureau of Resource Protection – Wetlands
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

MassDEP File #

SE 69-0635

C. General Conditions Under Massachusetts Wetlands Protection Act (cont.)

11. Where the Department of Environmental Protection is requested to issue a Superseding Order, the Conservation Commission shall be a party to all agency proceedings and hearings before DEP.
12. Upon completion of the work described herein, the applicant shall submit a Request for Certificate of Compliance (WPA Form 8A) to the Department of Environmental Protection.
13. The work shall conform to the plans and special conditions referenced in this order.
14. Any change to the plans identified in Condition #13 above shall require the applicant to inquire of the Department in writing whether the change is significant enough to require the filing of a new Notice of Intent.
15. The Agent or members of the Conservation Commission and the Department of Environmental Protection shall have the right to enter and inspect the area subject to this Order at reasonable hours to evaluate compliance with the conditions stated in this Order, and may require the submittal of any data deemed necessary by the Conservation Commission or Department for that evaluation.
16. This Order of Conditions shall apply to any successor in interest or successor in control of the property subject to this Order and to any contractor or other person performing work conditioned by this Order.
17. Prior to the start of work, and if the project involves work adjacent to a Bordering Vegetated Wetland, the boundary of the wetland in the vicinity of the proposed work area shall be marked by wooden stakes or flagging. Once in place, the wetland boundary markers shall be maintained until a Certificate of Compliance has been issued by the Department.
18. All sedimentation barriers shall be maintained in good repair until all disturbed areas have been fully stabilized with vegetation or other means. At no time shall sediments be deposited in a wetland or water body. During construction, the applicant or his/her designee shall inspect the erosion controls on a daily basis and shall remove accumulated sediments as needed. The applicant shall immediately control any erosion problems that occur at the site and shall also immediately notify the Department, which reserves the right to require additional erosion and/or damage prevention controls it may deem necessary. Sedimentation barriers shall serve as the limit of work unless another limit of work line has been approved by this Order.

NOTICE OF STORMWATER CONTROL AND MAINTENANCE REQUIREMENTS

19. **The work associated with this Order (the “Project”) is (1) is not (2) subject to the Massachusetts Stormwater Standards. If the work is subject to the Stormwater Standards, then the project is subject to the following conditions:**
 - a) All work, including site preparation, land disturbance, construction and redevelopment, shall be implemented in accordance with the construction period pollution prevention and erosion and sedimentation control plan and, if applicable, the Stormwater Pollution Prevention Plan required by the National Pollution Discharge Elimination System Construction General Permit as required by Stormwater Condition 8. Construction period erosion, sedimentation and pollution control measures and best management practices (BMPs) shall remain in place until the site is fully stabilized.



C. General Conditions Under Massachusetts Wetlands Protection Act (cont.)

- b) No stormwater runoff may be discharged to the post-construction stormwater BMPs unless and until a Registered Professional Engineer provides a Certification that:
- i.* all construction period BMPs have been removed or will be removed by a date certain specified in the Certification. For any construction period BMPs intended to be converted to post construction operation for stormwater attenuation, recharge, and/or treatment, the conversion is allowed by the MassDEP Stormwater Handbook BMP specifications and that the BMP has been properly cleaned or prepared for post construction operation, including removal of all construction period sediment trapped in inlet and outlet control structures;
 - ii.* as-built final construction BMP plans are included, signed and stamped by a Registered Professional Engineer, certifying the site is fully stabilized;
 - iii.* any illicit discharges to the stormwater management system have been removed, as per the requirements of Stormwater Standard 10;
 - iv.* all post-construction stormwater BMPs are installed in accordance with the plans (including all planting plans) approved by the issuing authority, and have been inspected to ensure that they are not damaged and that they are in proper working condition;
 - v.* any vegetation associated with post-construction BMPs is suitably established to withstand erosion.
- c) The landowner is responsible for BMP maintenance until the issuing authority is notified that another party has legally assumed responsibility for BMP maintenance. Prior to requesting a Certificate of Compliance, or Partial Certificate of Compliance, the responsible party (defined in General Condition 19(e)) shall execute and submit to the issuing authority an Operation and Maintenance Compliance Statement ("O&M Statement") for the Stormwater BMPs identifying the party responsible for implementing the stormwater BMPs Operation and Maintenance Plan ("O&M Plan") and certifying the following: *i.*) the O&M Plan is complete and will be implemented upon receipt of the Certificate of Compliance, and *ii.*) the future responsible parties shall be notified in writing of their ongoing legal responsibility to operate and maintain the stormwater management BMPs and implement the Stormwater Pollution Prevention Plan.
- d) Post-construction pollution prevention and source control shall be implemented in accordance with the long-term pollution prevention plan section of the approved Stormwater Report and, if applicable, the Stormwater Pollution Prevention Plan required by the National Pollution Discharge Elimination System Multi-Sector General Permit.
- e) Unless and until another party accepts responsibility, the landowner, or owner of any drainage easement, assumes responsibility for maintaining each BMP. To overcome this presumption, the landowner of the property must submit to the issuing authority a legally binding agreement of record, and acceptable to the issuing authority, evidencing that another entity has accepted responsibility for maintaining the BMP, and that the proposed responsible party shall be treated as a permittee for purposes of implementing the requirements of Conditions 19(f) through 19(k) with respect to that BMP. Any failure of the proposed responsible party to implement the requirements of Conditions 19(f) through 19(k) with respect to that BMP shall be a violation of the Order of Conditions or Certificate of Compliance. In the case of stormwater BMPs that are serving more than one lot, the legally binding agreement shall also identify the lots that will be serviced by the stormwater BMPs. A plan and easement deed that grants the responsible party access to perform the required operation and maintenance must be submitted along with the legally binding agreement.
- f) The responsible party shall operate and maintain all stormwater BMPs in accordance with the design plans, the O&M Plan, and the requirements of the Massachusetts Stormwater Handbook.



C. General Conditions Under Massachusetts Wetlands Protection Act (cont.)

- g) The responsible party shall:
1. Maintain an operation and maintenance log for the last three (3) consecutive calendar years of inspections, repairs, maintenance and/or replacement of the stormwater management system or any part thereof, and disposal (for disposal the log shall indicate the type of material and the disposal location);
 2. Make the maintenance log available to MassDEP and the Conservation Commission (“Commission”) upon request; and
 3. Allow members and agents of the MassDEP and the Commission to enter and inspect the site to evaluate and ensure that the responsible party is in compliance with the requirements for each BMP established in the O&M Plan approved by the issuing authority.
- h) All sediment or other contaminants removed from stormwater BMPs shall be disposed of in accordance with all applicable federal, state, and local laws and regulations.
- i) Illicit discharges to the stormwater management system as defined in 310 CMR 10.04 are prohibited.
- j) The stormwater management system approved in the Order of Conditions shall not be changed without the prior written approval of the issuing authority.
- k) Areas designated as qualifying pervious areas for the purpose of the Low Impact Site Design Credit (as defined in the MassDEP Stormwater Handbook, Volume 3, Chapter 1, Low Impact Development Site Design Credits) shall not be altered without the prior written approval of the issuing authority.
- l) Access for maintenance, repair, and/or replacement of BMPs shall not be withheld. Any fencing constructed around stormwater BMPs shall include access gates and shall be at least six inches above grade to allow for wildlife passage.

Brief Project Description: Construction of a single family dwelling, deck, sewerage disposal system, driveway, landscaping, grading, and the installation of utilities.

Special Conditions (See attached sheet(s) for additional Special Conditions numbered 1 through 5).

D. Findings Under Municipal Wetlands Bylaw or Ordinance

To the extent that the Order is based on a municipal bylaw or ordinance, and not on the Massachusetts Wetlands Protection Act or regulations, the Department has no jurisdiction to supersede the local by-law order.



WPA Form 5 – Superseding Order of Conditions
Massachusetts Department of Environmental Protection
Bureau of Resource Protection – Wetlands
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

MassDEP File #

SE 69-0635

E. Issuance

This Order is valid for three years from the date of issuance, unless otherwise specified as a special condition pursuant to General Conditions 4 or 6.

Issued by: **Department of Environmental Protection:**

Signature:


Tena J. Davies, Bureau of Resource Protection

AUG 27 2010

Date

This Order is issued to the applicant as follows:

by Hand delivery on:

by certified mail on:

AUG 27 2010

Date

Date Certified Mail #7008 1830 0001 0409 1837

F. Recording Information

This Order of Conditions must be recorded in the Registry of Deeds or the Land Court for the district in which the land is located, within the chain of title of the affected property. In the case of recorded land, the Final Order shall also be noted in the Registry's Grantor Index under the name of the owner of the land subject to the Order. In the case of registered land, this Order shall also be noted on the Land Court Certificate of Title of the owner of the land subject to the Order of Conditions. The recording information on Page 10 of this form shall be submitted to the Department.



WPA Form 5 – Superseding Order of Conditions
Massachusetts Department of Environmental Protection
 Bureau of Resource Protection – Wetlands
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

MassDEP File #

SE 69-0635

Massachusetts Department of Environmental Protection – Southeast Region
 Issuing Authority

To: Massachusetts Department of Environmental Protection – Southeast Region
 Issuing Authority

Please be advised that the Order of Conditions for the Project at:

Lot 5 Arcade Avenue
 Project Location

SE 69-0635
 DEP File Number

Has been recorded at the Registry of Deeds of:

County

Book

Page

For: Property Owner

and has been noted in the chain of title of the affected property in:

Book

Page

In accordance with the Order of Conditions issued on:

Date

If recorded land, the instrument number identifying this transaction is:

Instrument Number

If registered land, the document number identifying this transaction is:

Document Number

Signature of Applicant

TJD/MNB



WPA Form 5 – Superseding Order of Conditions
Massachusetts Department of Environmental Protection
Bureau of Resource Protection – Wetlands
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

MassDEP File #

SE 69-0635

G. Appeal Rights and Time Limits

The applicant, the landowner, any person aggrieved by the Superseding Order, Determination or other Reviewable Decision as defined at 310 CMR 10.04, who previously participated in the proceedings leading to this Reviewable Decision, the conservation commission, or any ten (10) residents of the city or town where the land is located if at least one resident was previously a participant in the permit proceeding, are hereby notified of their right to appeal this Reviewable Decision pursuant to M.G.L. c.30A, § 10, provided the request is made by certified mail or hand delivery to the Department, along with the appropriate filing fee and a MassDEP Fee Transmittal Form within ten (10) business days of the date of issuance of this Superseding Order or Determination, and addressed to:

Case Administrator
Office of Appeals and Dispute Resolution
Department of Environmental Protection
One Winter Street, 2nd Floor
Boston, MA 02108

A copy of the request (hereinafter also referred to as Appeal Notice) shall at the same time be sent by certified mail or hand delivery to the Conservation Commission, the applicant, the person that requested the Superseding Order or Determination, and the issuing office of the MassDEP at:

MassDEP
20 Riverside Drive
Lakeville, MA 02347

In the event that a ten resident group requested the Superseding Order or Determination, the Appeal Notice shall be served on the designated representative of the ten resident group, whose name and contact information is included in this Reviewable Decision (when relevant).

Contents of Appeal Notice

An Appeal Notice shall comply with the Department's Rules for Adjudicatory Proceedings, 310 CMR 1.01(6) and 310 CMR 10.05(7)(j), and shall contain the following information:

- (a) the MassDEP Wetlands File Number, name of the applicant, landowner if different from applicant, and address of the project;
- (b) the complete name, mailing address, email address, and fax and telephone numbers of the party filing the Appeal Notice; if represented by consultant or counsel, the name, fax and telephone numbers, email address, and mailing address of the representative; if a ten residents group, the same information for the group's designated representative;
- (c) if the Appeal Notice is filed by a ten (10) resident group, then a demonstration of participation by at least one resident in the previous proceedings that led to this Reviewable Decision;
- (d) if the Appeal Notice is filed by an aggrieved person, then a demonstration of participation in the previous proceeding that lead to this Reviewable Decision and sufficient written facts to demonstrate status as a person aggrieved;
- (e) the names, telephone and fax numbers, email addresses, and mailing addresses of all other interested parties, if known;



WPA Form 5 – Superseding Order of Conditions
Massachusetts Department of Environmental Protection
Bureau of Resource Protection – Wetlands
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

MassDEP File #

SE 69-0635

- (f) a clear and concise statement of the alleged errors contained in the Department's decision and how each alleged error is inconsistent with 310 CMR 10.00 and does not contribute to the protection of the interests identified in the Wetlands Protection Act, M.G.L. c.131, § 40, including reference to the statutory or regulatory provisions that the party filing the Appeal Notice alleges has been violated by the Department's Decision, and the relief sought, including any specific desired changes to the Department's decision;
- (g) a copy of the Department's Reviewable Decision that is being appealed and a copy of the underlying Conservation Commission decision if the Reviewable Decision affirms the Conservation Commission decision;
- (h) a statement that a copy of the request has been sent by certified mail or hand delivery to the applicant and the conservation commission; and
- (i) if asserting a matter that is Major and Complex, as defined at 310 CMR 10.04(1), a statement requesting that the Presiding Officer make a designation of Major and Complex, with specific reasons supporting the request.

Filing Fee and Address

A copy of the Appeal Notice along with a MassDEP Fee Transmittal Form and a valid check or money order payable to the Commonwealth of Massachusetts in the amount of one hundred dollars (\$100) must be mailed to:

Commonwealth of Massachusetts
Department of Environmental Protection
Commonwealth Master Lockbox
P.O. Box 4062
Boston, Massachusetts 02211

The request will be dismissed if the filing fee is not paid, unless the appellant is exempt or granted a waiver. The filing fee is not required if the appellant is a city or town (or municipal agency), county, district of the Commonwealth of Massachusetts, or a municipal housing authority. The Department may waive the adjudicatory hearing filing fee pursuant to 310 CMR 4.06(2) for a person who shows that paying the fee will create an undue financial hardship. A person seeking a waiver must file an affidavit setting forth the facts believed to support the claim of undue financial hardship together with the hearing request as provided above.

Special Conditions for Superseding Order of Conditions for DEP File # SE 69-0635

1. A Disposal Works Construction Permit shall be obtained from the Seekonk Board of Health prior to the start of any activity on site regulated by M.G.L., C.131,S40. The proposed subsurface sewage disposal system shall be constructed in compliance with Title 5 of the State Environmental Code (310 CMR 15.00).
2. Prior to the commencement of any activity, an erosion control barrier (hay bales staked end to end or a siltation fence firmly anchored) as shown on the referenced plan, shall be placed between the wetlands and any area where work is to be done. All accumulated sediment shall be removed prior to removal of the barriers. The erosion control barrier shall also serve to delineate the limit of work area. No equipment, vehicles or activity are allowed on the wetlands side of the barrier.
3. Any supplies, debris, fill or other materials shall be stockpiled away from designated wetland resource areas, and at a location to prevent such materials from entering the wetland resource areas.
4. Upon completion of the project and after the areas disturbed by construction activities have been stabilized with vegetation or other suitable measures approved by the USDA natural Resources Conservation Service, the erosion control measures shall be removed and disposed of in accordance with all applicable laws, regulations or ordinances.
5. Upon completion of the project, a Certificate of Compliance shall be requested in accordance with General Condition 12, and under the provisions of 310 CMR 10.05(9)(d). An "AS-BUILT" plan and a statement from a Registered Professional Engineer certifying compliance with the conditions of the Order shall accompany the request for a Certificate of Compliance.

Fee Transmittal Form

Request for Adjudicatory Appeal

Department of Environmental Protection

Person/Party Making Request: (If appropriate, name group representative)	Applicant (if applicable):
Name:	Name:
Street:	Street:
City/Town:	City/Town:
State/Zip Code:	State/Zip Code:
Phone:	
Project Location:	
DEP File or ID Number:	
Amt. Of Filing Fee Attached: \$	

Instructions

1. Send this form and check or money order for \$100.00, payable to the Commonwealth of Massachusetts, to the DEP Lockbox at: Department of Environmental Protection, Box 4062, Boston, MA 02211.
2. Send a copy of this form and a copy of the check or money order with the Request for an Adjudicatory Appeal to: Docket Clerk, Office of Administrative Appeals, One Winter Street, Boston, MA 02108.

Important!

This form is intended for fee transmittal only. The contents of a request for an adjudicatory appeal (Notice of Claim) are established at 310 CMR 1.01 (6) and the substantive statutes and regulations governing the Department's action.