





- Legend**
- SOIL TEST PIT
 - EXISTING CONTOUR
 - PROPOSED CONTOUR
 - ZONING SETBACKS
 - PROPOSED SPOT ELEVATION
 - EXISTING STONEWALL
 - EXISTING TREETRINE




General Notes:

1. LOCUS IS RECORD LOT 1 OF A.P. 16 LOT 20 AS SHOWN IN THE TOWN OF SEEKONK ASSESSORS.
2. LOCUS DOES NOT LIE IN A FLOOD HAZARD ZONE AS SHOWN ON F.I.R.M. PANEL 250083 0010 A
3. THE LOT SHOWN DOES NOT LIE WITHIN A GROUNDWATER PROTECTION DISTRICT.
4. THE LOT SHOWN DOES NOT LIE WITHIN AN ENDANGERED SPECIES PROTECTION AREA.
5. OWNER OF RECORD: LOT 20 (RECORD LOT 1)
PHILIP J. GAUTHER III
648 LINCOLN STREET
SEEKONK, MA 02771
6. MAXIMUM SLOPE PROPOSED IS 3:1. MAXIMUM SLOPE IN BUFFER ZONE IS 5:1
7. ELEVATIONS SHOWN ON THIS PLAN ARE BASED ON AN ASSIGNED DATUM.


Zoning Setback Requirements

ZONING DISTRICT (R-4) RESIDENTIAL
FRONT YARD: 50'
SIDE YARD: 35' + 5'/STORY = 40' (2 STORY)
REAR YARD: 80'



- NOTES:**
1. HAY BALES ARE TO BE PLACED WITHIN A 6" MINIMUM TRENCH
 2. THOROUGHLY COMPACT EXCAVATED SOILS BACK INTO THE TRENCH AFTER INSTALLATION OF EROSION CONTROL DEVICES
 3. BALE STRING SHALL BE Laid PARALLEL TO THE GROUND SURFACE.
- Hay Bale Detail**
NOT TO SCALE

Received
DEC 27 2007
Con. Comm.



RDA Plan
Record Lot 1 (Portion of A.P. 16 Lot 20)
County Street, Seekonk, MA 02771

PREPARED FOR
Philip J. Gauthier III
648 Lincoln Street, Seekonk, MA 02771

DESIGNED BY: NSITE
PREPARED BY: NSITE
PROFESSIONAL ENGINEERS
and LAND SURVEYORS
Insite Professional Complex - Suite #1
Seekonk, Massachusetts 02771
Phone: (508) 335-4500
Fax: (508) 335-4500

Date: February 7, 2007
Revised: December 26, 2007

Scale: 1" = 30'

Neil Vadeas