

TEST PIT: 3  
 PERC RATE 2MPI  
 PERC DEPTH 24"  
 DATE 4/28/36  
 WATER DEPTH 36"


**PLAN**  
 SCALE 1"=50'

**EROSION AND SEDIMENTATION CONTROL**

- 1) All perimeter erosion and sedimentation controls must be installed prior to the commencement of earthwork.
- 2) Accessible reserves of hay bales and stakes are to be maintained on site for routine maintenance and in the event of unanticipated problems requiring emergency response.
- 3) Hay bales should be installed in accordance with the details provided.
- 4) No work is to occur on the wetland side of the perimeter erosion and sedimentation controls. All perimeter controls serve as the project limit of disturbance.
- 5) No stones, brush, construction debris, litter, or other materials are to be deposited on the wetland side of the erosion and sedimentation controls.
- 6) All disturbed soils not designated for other surface treatment are to be loamed and seeded immediately following final grading.
- 7) Appropriate precautions should be taken to prevent the transport of soil off site from construction equipment.
- 8) All perimeter erosion and sedimentation controls must be properly maintained and must remain in place until the soils have been stabilized to the satisfaction of the Engineer and the Seekonk Conservation Commission.

**NOTES:**  
 1. LOADING AREA GRADE IS 10%, THEREFOR BUILDING PROTECT IS REQUIRED FOR TRAILER.

PLAT 1  
 LOTS 211  
 OWNER:  
 FREDERICK A. WAYNE A. and  
 LOIS A. DARLING  
 1105 FALL RIVER AVENUE  
 SEEKONK, MA 02771  
 AREA = 188,625 S.F. OR 4.330 ACRES  
 ZONE: INDUSTRIAL  
 DEED BOOK 6622 PAGE 67



GRADING PLAN PREPARED BY  
 FREDERICK A. DARLING  
 INDUSTRIAL COURT  
 SEEKONK, MASSACHUSETTS

**CAPUTO AND WICK LTD.**  
 1150 PAWTUCKET AVE.  
 RUMFORD, R.I. 02916  
 401-434-8880

FOR PERMITTING