NAME OF BOARD/COMM: Surface Water Quality Committee

FILED BY: Bob Goldsmith, Co-chairman

DATE OF MEETING: Tuesday, October 7, 2014

TIME OF MEETING: 7:30 PM

PLACE OF MEETING: Wayland Town Building

ATTENDING: Toni Moores (by telephone due to distance), Bob Goldsmith, Mike

Lowery, Lin Bradford, and Tom Largy. Jennifer Koller (guest)

## **MINUTES**

1. The meeting came to order at 7:30 PM.

- 2. Minutes of the previous meeting were approved by roll call vote 5-0.
- 3. Public Comments. None
- 4. Dudley Pond (Mike). Negligible milfoil this year, but lots of tapegrass. The committee voted 5-0 by roll call vote to study this problem. Bob Smith has a family friend, Briana Ramsey, who would like to study what is done elsewhere. Mike to arrange.

Title 5 requirements for houses near the pond were discussed. It was felt few homes could meet Title 5 requirements, because of location in a zone 2 requires nitrogen reduction, and high ground water level.

Toni's proposal for a possible "Dudley Pond Critical Septic Zone" to be established in an article at the spring TM was discussed. After deliberation, the committee voted by roll call vote 5-0 to recommend establishing a requirement for homes within 300 ft of the Town surface waters to pump their systems every three years and for the pumper to provide a report to the BOH on system conditions. This is to be pursued with the BOH and ConCom as a possible joint article.

5. Heard Pond. No discussion.

- 6. North Pond. Mike will call Tom Flannery about 2016 planning.
- 7. Discussed inspection of catch basin cleaning when DPW does this. Mike will check about the date of October 30.
- 8. Invoices were approved separately by roll call vote (5-0) for Allison LaClaire for \$3,150; Lee Junkin for \$67.50; for Aquatic Vision (Ted Fiust) for \$1,755; and for Gena Cutitta for \$400.
- 9. Adjourned by a roll call vote of 5-0 at about 9:15 PM.